



SANITARY PROTECTION

Catalogue 2020



SICAME GROUP IN FIGURES

51 COMPANIES WORLDWIDE

+50,000
PRODUCT
REFERENCES

11 LABORATORIES

+3,000
EMPLOYEES



- Electrical testing
- Climatic testing
- Mechanical testing



Learn more about us on www.sicamegroup.com



Le Fonds de Dotation

SICAME

1% of sales is donated *

to SICAME endowment fund
for the fight against COVID-19

SICAME Group puts its expertise and know-how at the service of the fight against Covid-19 by offering a range of individual and collective protective equipment to guarantee and preserve the health of your employees in their workplaces.

Through its Endowment Fund, SICAME Group will donate 1% of the sale of Covid-19 protection products to establishments, associations, institutions engaged in the fight against Covid-19 and its economic and social consequences : hospitals, nursing homes, food banks, police forces and fire brigades, etc.



SUMMARY



01


Individual protection



02

On-site collective protection

01



Individual protection

(does not provide electrical protection)

- / Face protection
- / Eye protection
- / Touchless hand key






Eyes and face protection offer from splash

SICAME GROUP main mission is to provide safety solutions to **protect people against electrical risks**.

Amid the COVID-19 context, CATU is **enlarging its portfolio by providing 3 face protection levels from splashes** enabling people to work safely. Those new solutions are not electrical compliant.

Safety first as always.

.

| | | |
|---|----------|------------------------------|
|  | Level #1 | FACE PROTECTION |
|  | Level #2 | FACE AND FOREHEAD PROTECTION |
|  | Level #3 | FACE AND HEAD PROTECTION |

FACE PROTECTION

CW-11945



Disposable safety face shield fluid resistant.

Full face visor protection from splash.
Head band and visor already assembly : ready to use.

- Disposable.
- Fit for all.
- Light to wear.
- Forehead comfort foam.
- Elastic strap.



Random style
depending on the
availability

| | |
|---------------------------|--------------|
| Reference | CW-11945 |
| Screen dimensions | 330 x 220 mm |
| Screen thickness | 0,22 mm |
| Screen material | PET |
| Weight | 30 gr. |
| Multiple order quantities | 200 units |

FACE PROTECTION



CW-11949

Face shield protection against liquid spray.

Full face protection from splash.
Supplied in dismantled state, to be assembled by the user.
Individual packaging.

- Fit to head morphology thanks to the elastic.
- Cleanable, re usable, adaptable to all.
- Easy to disassemble for cleaning (soapy water).
- Light to wear.



Random style depending on the availability

| | |
|---------------------------|--------------|
| Reference | CW-11949 |
| Screen dimensions | 305 x 220 mm |
| Screen thickness | > 0,5 mm |
| Screen material | PET |
| Weight | 330 gr. |
| Multiple order quantities | 25 units |

FACE PROTECTION

CW-11946

Safety face shield protection from splash.

Full face protection from splash.
Supplied in bulk, to be assembled by the user.

- Fit to head morphology thanks to the milled wheel.
- Cleanable, re usable, adaptable to all.
- Easy to disassemble for cleaning (soapy water).
- Lifting visor.



CE
EN 166



Random style depending on the availability

| | |
|---------------------------|----------------|
| Reference | CW-11946 |
| Screen dimensions | 390 x 200 mm |
| Screen thickness | 1 mm |
| Screen material | PC |
| Weight | 350 gr. |
| Multiple order quantities | 40 ou 45 units |

⇒ Spare parts available : screen can be order separately.
Ref : CW-11946/S01

FACE PROTECTION



CW-11948

Face shield protection against liquid spray.

Full face protection from splash.
Supplied in dismantled state, to be assembled by the user.
Individual packaging.

- To be wear with helmet.
- Cleanable, re usable, adaptable to all.
- Easy to disassemble for cleaning (soapy water).
- Lifting visor.



Random style depending on the availability

| | |
|---------------------------|--------------|
| Reference | CW-11948 |
| Screen dimensions | 390 x 200 mm |
| Screen thickness | 1 mm |
| Screen material | PC |
| Weight | 220 gr. |
| Multiple order quantities | 80 units |

⇒ The face shield CW-11948 can be adapted on CATU helmets and most of the helmets on the market.

Impact protection helmet.

Supplied with 2 points leather chinstrap.

- Suitable for head circumference from 53 to 61 cm.

| | |
|---------------------------|--------------------|
| Reference | CW-11947 |
| Dimensions | 220 x 290 x 150 mm |
| Weight | 380 gr. |
| Multiple order quantities | 24 units |



CE
EN 397

EYES PROTECTION



CW-11950

Over glasses against liquid splash.

Eyes protection from splash.
Individual packaging.

- Covering.
- Can be wear with prescription eyeglasses.

| | |
|---------------------------|-------------------|
| Reference | CW-11950 |
| Dimensions | 330 x 220 x 30 mm |
| Material | PC |
| Weight | 36 gr. |
| Multiple order quantities | 300 units |



Random style depending on the availability

NOSE AND MOUTH PROTECTION



CW-11957

Washable general public barrier mask.

Nose and mouth protection.
Individual packaging.

- Reutilisable and durable at up to 10 washes
- Filtration efficiency for 3 µm particles generated* :
 - new : 88%
 - After whashing : 92%
- Breathability ** - can be use for 4 hours :
 - new : 300 L.m-2.s⁻¹
 - After whashing : 152 L.m-2.s⁻¹

Coming soon

General public
barrier mask , made
according to the
AFNOR guide and in
accordance to French
Defence Procurement
Agency
Catégory 2

| | |
|------------|--|
| Reference | CW-11957 |
| Dimensions | 100 x 200 mm |
| Material | Ext. fabric : 100 % cotton Int. fabric : microfleece 100% polyester |
| Wheigh | 20 gr. |



Random style depending
on the availability

* Requirement :
Category 1 : > 90%
Category 2 : > 70%
** Requirement :
> 90 L.m-2.s-1

TAKEAWAY INDIVIDUAL PROTECTION



SICAKEY

Touchless hand key.

Sicame presents in exclusivity its new hand key without direct manual contact allowing the doors opening or the use buttons and switches for reinforced personal protection, guaranteeing safe use and optimal hygiene



- Door opening thanks to the hook
- Operation of buttons and switches thanks to the extension
- Robust design
- Enhanced personal protection
- Easy to use on a daily basis
- Quick and easy cleaning with soapy water



| | |
|-------------------|------------------------|
| Product reference | SICAKEY |
| Dimensions | 10 x 6 cm |
| Material | ABS |
| RAL Color | 7035 |
| Packing | Individual plastic bag |

⇒ Possibility to create and customized your own individual protection kit upon request

02



On-site collective protection

- / Hydroalcoholic solution dispenser
- / Protection of common areas
- / Signaling

HYDROALCOHOLIC SOLUTION DISPENSER




SICAGEL DISPENSER

Touchless hydroalcoholic solution dispensing terminal

Thanks to its pedal system, and by simple mechanical pressure of the foot, the SICAGEL dispenser allows the distribution of hydroalcoholic solution without manual contact, guaranteeing optimal hygiene.

- Sleek & elegant design
- Robust and sustainable painted stainless steel design
- Suitable with standard sized bottles up to 1L, with elongated push spout
- Interior height adjustment system
- Indoor/outdoor use
- Double anti-vandalism system

RAL and logo laser cut customization upon request



| | |
|-------------------------|---|
| Reference | SICAGEL |
| Dimensions | 1 x 0,285 x 0,3 m |
| Diameters | Outer: 11,4 cm - Inner: 11cm |
| Material | Painted stainless steel |
| Weight | 11 kg |
| Standard RAL color | 7047 |
| Standard laser cut logo | SICAME |
| Packing | Delivered assembled with mounting instructions Plastic film. |
| MOQ | 3 pcs. |

HYDROALCOHOLIC SOLUTION DISPENSER



SEIFGEL DISPENSER

Touchless hydroalcoholic solution dispensing terminal

Thanks to its pedal system, and by simple mechanical pressure of the foot, the SEIFGEL dispenser allows the distribution of hydroalcoholic solution without manual contact, guaranteeing optimal hygiene.

- Rugged and sustainable design
- Designed to be mobile and adapt to daily business constraints
- High impact resistance (IK10) and fire resistance (UF94UL0)
- Fully removable door for easy maintenance
- Compatible with standard sized bottles up to 1L.
- Internal height and depth system for adjustment to the bottle
- Indoor/outdoor use
- Double anti-vandalism system: floor fixing and anti-burglary key

Can be delivered with case including
notched plates, optional letters &
numbers,
to facilitate the management of your
bollards in the field



| | |
|-------------|---|
| Reference | SEIFGEL |
| Dimensions | 91,7 x 23,4 x 18,7 cm |
| Floor space | 42 x 45 cm |
| Material | Mass-coloured thermoplastic |
| Weight | 11 kg |
| RAL color | 7035 |
| Marking | SEIFEL |
| Packing | Delivered with base to assembly and instructions for use. Individual cardboard : 91,7 x 41,7 x 20,4 cm |
| MOQ | 3 pcs. |

PROTECTION OF COMMON SPACES


SEIFWORK SCREENS

Anti-spray screens for workstations.

SEIFWORK screens adapt perfectly and sustainably to all types of workstation configurations to guarantee practicality of use, modularity, reinforced anti-projection protection and optimal hygiene.

Its honeycomb finish allows you to have a personal space without restricting brightness or communication between colleagues.

- Robust design
- Economic
- Easy to clean with soapy water
- Lightweight and easy to handle
- Available in 3 versions :
 - to be placed on a table
 - to be placed on a flag-stand with horizontal or vertical screen



Polycarbonate plate cut to size, on consultation only

| Reference | 64158 : PROTECT SCREEN TABLE | 64159 : PROTECT SCREEN FLAG | 64160 : PROTECT SCREEN PORTRAIT |
|----------------------------|------------------------------|-----------------------------|---------------------------------|
| Standard screen dimensions | H 65 x L98 cm | H 65 x L98 cm | H 65 x L98 cm |
| Support dimensions | H2 x L 89 x P 7,5cm | H 176 cm | H 176 cm |
| Screen material | Honeycombed polycarbonate | Honeycombed polycarbonate | Honeycombed polycarbonate |
| Support material | PVC | PVC | PVC |
| Weight | +/- 1 Kg | 2,87 Kg | 2,87 Kg |

PROTECTION OF COMMON SPACES




SICADOOR

Universal door handle without direct hand contact.

The SICADOOR handle accessory can be attached to your existing door handles to guarantee optimal hygiene without any manual contact, using the forearm or elbow.

Thanks to its integrated adapter system, SICADOOR fits all types of handles, whether round, rectangular or square.

- Forearm or elbow door opening
- Universal accessory for all types of handles
- Integrated adapter system
- Quick and easy to install
- Easy to maintain and clean.



| | |
|------------|------------------------|
| Reference | SICADOOR |
| Dimensions | 16,2 x 6 cm |
| Material | ABS |
| RAL color | 7035 |
| Packing | Individual plastic bag |

SIGNALING - WARNING SIGNS



AT-../1

Warning stickers.

- Simple to install : self adhesive.

| | | | | |
|---------------------------|-------------|-----------|-----------|-----------|
| Reference | AT-54/1 | AT-55/1 | AT-58/1 | AT-60/1 |
| Dimensions | Ø 100 mm | Ø 100 mm | Ø 100 mm | Ø 100 mm |
| Material | PVC anti-UV | | | |
| Multiple order quantities | 20 unités | 20 unités | 20 unités | 20 unités |



AT-54/1



AT-55/1



AT-60/1



AT-58/1

SIGNALING - DELINEATORS



AL-3...

Safety boundary post and chain.

Signaling pole and chain to create social distancing area.
Base needs to be ballast (until 4 kg).



- 2 hooks for the chain installation.

| Reference | AL-321 | AL-31/05 | AL-31/25 |
|---------------------------|---|----------------|-----------|
| Description | Pole | Chain | Chain |
| Color | Red/white | Red/white | Red/white |
| Dimensions | Pole Base H 900 mm 280 x 280 x 50 mm | | |
| | | Chain L 5 m | L 25 m |
| Material | PVC | | |
| Multiple order quantities | 1 unit | 1 unit | 1 unit |



SIGNALING - DELINEATION



AL-32.

Safety barrier.

Folding safety barrier allowing to create social distancing area.

- Lightweight and easy to use.


| Reference | AL-325 | AL-326 |
|---------------------------|--------------|------------|
| Description | 3 panels | 1 pannel |
| Dimensions | 1, 710 x 1 m | 0,57 x 1 m |
| Material | PVC | |
| Multiple order quantities | 1 unit | 1 unit |



AL-1..

Delineation tape.

| Reference | AL-138 | AL-139 | AL-140 |
|---------------------------|---------------|---------------|---------------|
| Color | Red/white | Red/white | Yellow/black |
| Dimensions | 80 mm x 500 m | 50 mm x 100 m | 50 mm x 100 m |
| Material | Polypropylene | | |
| Multiple order quantities | 1 unit | 1 unit | 1 unit |



AT-500.

Adhesiv delineation tape.

| Reference | AT-5005 |
|---------------------------|---------------|
| Color | Yellow/black |
| Dimensions | 80 mm x 500 m |
| Material | Polypropylene |
| Multiple order quantities | 1 unit |





www.sicamegroup.com

SICAME GROUP
BP n°1 - 1 avenue Basile Lachaud
19231 ARNAC-POMPADOUR Cedex - FRANCE
info@sicame.com
Tél. : 00 33 (0)5 55 73 89 00

